

Sub B
a1
control

1. (Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a control device, an optical finder, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function,

wherein said control device stores an image signal output from said image sensing device in said memory device while said display device is disabled,

enables said display device immediately after the storage in the case that said review function is turned on, and

plays back and displays the image signal stored in said memory device on said display device regardless of whether said electronic view finder function is turned on or off.

2. (Amended) The apparatus according to claim 1, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

3. (Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a control device, an optical finder, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic

view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function,

A1 Panel
wherein said control device stores an image signal output from said image sensing device in said memory device while said display device is disabled,

enables said display device immediately after the storage in the case that said review function is turned on,

B1
plays back and displays the image signal stored in said memory device on said display device for a predetermined period of time, and

then sets said display device to a state instructed by said electronic view finder setting device.

4. (Amended) The apparatus according to claim 3, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

A2 Control
7. (Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a control device, an optical finder, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function,

wherein said control device stores an image signal output from said image sensing device in said memory device while said display device is disabled,

enables said display device immediately after the storage in the case that said review function is turned on, and

plays back and displays the image signal stored in said memory device on said display device for a time period while a predetermined switch is turned on.

8. (Amended) The apparatus according to claim 7, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

9. (Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a recording device, a control device, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function,

wherein said control device stores an image signal output from said image sensing device in said memory device while said display device is disabled,

enables said display device immediately after the storage in the case that said review function is turned on,

plays back and displays the image signal stored in said memory device, and

transfers the image signal stored in said memory means to record the image signal on said recording device.

10. (Amended) The apparatus according to claim 9, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

11. (Amended) An image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising:

an image sensing device, a memory device, a recording device, a control device, a display device having at least an electronic view finder function and a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function,

wherein said control device stores an image signal output from said image sensing device in said memory device while said display device is disabled,

enables said display device immediately after the storage in the case that said review function is turned on,

plays back and displays the image signal stored in said memory device on said display device for a time period while a predetermined switch is turned on, and

transfers the image signal stored in said memory device to record the image signal on said recording device.

12. (Amended) The apparatus according to claim 11, wherein said display device comprises a liquid crystal display, and is disabled by turning off only a backlight.

A2
cost
13. (Amended) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

B1
storing an image signal output from an image sensing device in a memory while a display device is disabled, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function;

enabling said display device immediately after the storage in the case that said review function is turned on; and

playing back and displaying the image signal stored in said memory on said display device regardless of whether said electronic view finder function is turned on or off.

14. (Amended) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

storing an image signal output from an image sensing device in a memory while a display device is disabled, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image

sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function;

enabling said display device immediately after the storage in the case that said review function is turned on;

playing back and displaying the image signal stored in said memory on said display device for a predetermined period of time; and

then setting said display device to a state instructed by said electronic view finder setting device.

15. (Amended) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

storing an image signal output from an image sensing device in a memory while a display device is disabled, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function;

enabling said display device immediately after the storage in the case that said review function is turned on; and

playing back and displaying the image signal stored in said memory on said display device for a time period while a predetermined switch is turned on.

A2
cont'd
B1
16. (Amended) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

storing an image signal output from an image sensing device in a memory while a display device is disabled, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function;

enabling said display device immediately after the storage in the case that said review function is turned on; and

playing back and displaying the image signal stored in said memory on said display device for a time period while a predetermined switch is turned on, and

setting said display device to a state instructed by said electronic view finder setting device.

17. (Amended) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

storing an image signal output from image an sensing device in a memory while a display device is disabled, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function;

enabling said display device immediately after the storage in the case that said review function is turned on;

playing back and displaying the image signal stored in said memory on said display device for a time period while a predetermined switch is turned on; and

transferring the image signal stored in said memory to record the image signal on a recording device.

18. (Amended) A control method of an image processing apparatus for recording, and playing back and displaying a sensed still image and/or moving image on a recording medium, comprising the steps of:

storing an image signal output from an image sensing device in a memory while a display device is disabled, said display device having at least an electronic view finder function, a review function of playing back and displaying the sensed image immediately after an image sensing operation, an electronic view finder setting device adapted to turn on and off said electronic view finder function, and a review setting device adapted to turn on and off said review function;